### Contact details for your local Philips Lighting Offce

Philips Electronics India Ltd. Regional Sales Manager

### North

Tel: +9I 124 460 6000 Fax: +9I 124 460 6666

### East

Tel: +91 33 2486 7621-24 Fax: +91 33 2486 8318

### West

Tel: +9I 22 669I 2000

Fax: +91 22 6691 2389 / 6691 2398

### South

Tel: +91 44 6650 1000 Fax: +91 44 6650 1075

### For service support and inquiries

Contact:

**PHILIPS** 

I 800 I02 2929 (Toll free)

1860 180 1111, 91 124 4291111

"Standard call rates apply"

e-mail: customercare.india@philips.com

Product development is a continuous process.


Consequently the data and design indicated in this leafet is subject to change, without prior notice.







All rights reserved. Reproduction in whole or in part is prohibited without the prior written consent of the copyright owner. The information presented in this document does not form part of any quotation or contract, is believed to be accurate and reliable and may be changed without notice. No liability will be accepted by the publisher for any consequence of its use. Publication thereof, does not convey, nor imply any license under patent - or other industrial or intellectual property rights.





# Switch to safe living

'ELITE' Lifestyle modular switches with protective technology

Price effective I September, 2010



## Live the designer life

Designer cars. Designer apparel. Designer products. Designer homes. Life is increasingly all about making elegant choices and living it up in style. While designer walls are now in vogue, aesthetically designed switches too are keeping pace. Here again, you want the assurance that you and your loved ones are safe.

Now, live the designer life, spending less time worrying and more time living.



# Introducing

Philips 'ELITE' lifestyle modular switches with new age designs and protective technology

Built to exacting international engineering standards, with aesthetic sense, new-age designs and packed with safety features, Philips lifestyle modular switches ensure safety in all situations. These are guaranteed to withstand the harshest environments,

- th three unique features:
- Dual shutter technology
- 2. Triple protection technology
- 3. Front removal and insertion technology



## General features

### Front mounting and removing of inserts

- POP remains intact even while doing repairs
- Easy to install and change insert position

### RoHS compliant design

• Environmentally safe. Future ready

### Shrouded terminals

• No risk of getting a shock

### Captive screws

 Screws will not fall off, even if completely unscrewed

### Satin finish

- Elegant looks
- Easy to clean

### Flexible platform of mounting grid and cover frames

- Suitable for uneven wall finishes as well
- Suitable for most of the available mounting boxes
- Great strength due to unique honeycomb construction

### Wood mounting

 Can be fitted on the metal box and wood wall, no special mounting fixture required

### **Colour options**

- White
- Wood
- Orient jade

# Letting children play safely

Child proof sockets with Dualshutter® technology

Philips modular switches with safe technology:

- Ensures that the earth pin remains closed even when using a two pin plug.
- The sockets have one shutter for the two pin connection and separate shutter for the earth pin.

# Relaxed, carefree living

Safe even with wet hands, thanks to unique

TippleProtection® technology | Philips modular switches with

of the chnology have shock resistant Polycarbonate which ensures highest degree of insulation.

In-built spark shield to minimize sparking risk.

Close tolerances and snug-fit components reduce water seepage.



# Smart way to preserve your designer walls

### Innovative front removal and insertion technology

Now, with innovative Philips front removal and insertion technology, you need just change a non-functional part if required or replace the screw less switch unit, without disturbing the whole fitting. Yes, prolonging the life of your custom designed designer walls or interiors, was never so easy. Come, live the smart life.





## Controllers

### Special features for controllers

- No radio frequency interference
- Good ventilation assures no heat generation
- Energy conservative design
- Extended life span for 360° rotary knob for step regulators
- Fan regulator Standard rating: 100W, Voltage: 240V AC
- Dimmers Rating: 600W and 1000W, Voltage: 240V AC



Global product description	I2NC	RPU	Unit MRP
Controller Light 2M 600W 240V 50Hz AC Elite-White	913702302601	5	500.00
Controller Light 2M 1000W 240V 50Hz AC Elite-White	913702302701	5	700.00
Fan regulator with rotary knob 100W 240V 50Hz AC Elite-White	913702302501	5	510.00

### Sockets

### Special features for switches

- Convenience of using a 2 pin plug top in the 3 pin socket
- Dual shutter technology, ensures that the earth pin remains closed even when using a two pin plug
- Ratings Current : 6A / I3A / I6A, Voltage : 240V AC



913702322001 (12NC) 913702321801 (12NC) 913702321901 (12NC)

### Price list

Global product description	12NC	RPU	Unit MRP
2/3 Pin socket with shutter -2M 6A 240V AC Elite-White	913702321801	10	150.00
Universal socket with shutter-2M I3A 240V AC Elite-White	913702321901	10	210.00
3 Pin socket with shutter - 2M 6-16A 240V AC Elite-White	913702322001	10	225.00

RPU - Retail pack unit

## Connectors

### **Special features for connectors**

- Contact material Phosphor bronze
- Gold plated
- User friendly shutter. Shutter without spring allows un-interrupted movement of the jacks







913702322401 (12NC) 913702323801 (12NC)

### Price list

Global product description	I2NC	RPU	Unit MRP
Connector RJ 11 with Shutter Elite-White	913702322201	20	115.00
Connector RJ 45 Mounting Cover Elite-White	913702322301	40	5.00
Connector TV Socket Elite-White	913702322401	20	115.00
Connector RJ 45 with Socket Elite-White	913702323801	20	425.00

## Switches\*

### Special features for switches

- Added safety. Built-in spark cover
- Silver contact Efficient switching and long life
   Ratings Current: 6AX / 10AX / 16AX / 20A / 32A, Voltage: 240V AC





913702320101 (12NC)

913702321201 (12NC)

913702321601 (12NC)

(I2NC)	913702322301 (I2NC)	913702330401 (12NC) 913702320101 (12NC) 913702321201 (12NC)	91370232	32A D.P	1C)
		Frice list  Global product description	12NC	RPU	Unit MRP
	12NC CPU Unit MRP		12NC 13702320001	20	110.00
ite	913702322201 20 115.00		13702320101	20	130.00
White	913702322301 40 5.00		13702320201	20	130.00
	913702322401 20 115.00		13702320501	20	150.00
te	913702323801 20 425 00		13702320601	20	170.00
			13702320701	20	160.00
			13702321501	10	275.00
			13702321601	10	375.00
	V, 0, · 0	Switch blank - IM Elite-White 9	13702321701	40	26.00
			13702323301	20	110.00
		·	13702323401	20	130.00
	1 0, 0,	Switch IM-2way 6AX 240V AC Elite-White** 9	13702323501	20	130.00
		Bell push with indicator-IM I0AX240V AC Elite-White 9	13702320401	20	150.00
		Jumbo Bell Push with indicator -2M I0AX240V AC Elite-White 9	13702321201	10	170.00
		Bell push with indicator-IM 6AX240V AC Elite-White**	13702323601	20	150.00
		Jumbo Bell Push with indicator -2M 6AX240V AC Elite-White** 9	13702323701	10	170.00

## Cover frames

### **Special features for cover frames**

- Precise design technology makes them safe even with wet hands
- Flexible Suitable even for uneven wall finish
- Satin finish Elegant looks, easy to clean







913702322601 (12NC)

913702322901 (12NC)

913702323001 (12NC)

### **Price list - White**

Global product description	I2NC	RPU	Unit MRP
Cover frame - IM Elite-White	913702322501	20	42.00
Cover frame -2M Elite-White	913702322601	20	47.00
Cover frame -3M Elite-White	913702322701	10	50.00
Cover frame -4M Elite-White	913702322801	10	62.00
Cover frame -6M Elite-White	913702322901	5	85.00
Cover frame -8M square Elite-White	913702323001	5	105.00
Cover frame -8M linear Elite-White	913702323101	5	100.00
Cover frame -I2M Elite-White	913702323201	5	130.00
Cover frame -18M Elite-White	913702323901	5	160.00





913702327601 (12NC)

913702327701 (12NC)

### Price list - Orient jade

913702327601 (12NC) 913702327701 (12NC)  Price list - Orient jade			\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
	121 C	RPU	Unit MRP	
Global product description	9 3702327401	RPU	170.00	
Cover frame - IM Elite-Orient Jade	913/02327501	-	170.00	
Cover frame -2M Elite-Orient Jade	913702327601			
Cover frame -3M Elite-Orient Jade		3	200.00	
Cover frame -4M Elite-Orient Jade	913702327701	5	250.00	
Cover frame -6M Elite-Orient Jade	913702327801	5	300.00	
Cover frame -8M square Elite-Orient Jade	913702327901	5	400.00	
Cover frame -8M linear Elite-Orient Jade	913702328001	5	400.00	
Cover frame - I 2M Elite-Orient Jade	913702328101	5	450.00	
Cover frame -18M Elite-Orient Jade	913702328201	5	500.00	







913702325601 (12NC)

913702325501 (12NC)

913702328401 (12NC)

Price list - Wood

Global product description	I2NC	RPU	Unit MRP
Cover frame - IM Elite-Wood	913702325001	5	170.00
Cover frame -2M Elite-Wood	913702325101	5	170.00
Cover frame -3M Elite-Wood	913702325201	5	200.00
Cover frame -4M Elite-Wood	913702325301	5	250.00
Cover frame -6M Elite-Wood	913702325401	5	350.00
Cover frame -8M square Flite-Wood	913702325501	5	400.00
Cover frame -8M linear Elite-Wood	913702325601	5	430.00
Cover frame 1211 Elite-Wood	913702325701	5	690.00
Cover frame 1811 Elite-Wood	913702328401	5	730.00

## Three easy steps to install

- I. Fix grid frame to metal box
- 2. Connect and snap switch module in place
- 3. Snap cover frame to grid frame

